



# Safety Data Sheet

## Section 1 - Chemical Product and Company Information

Product Name: SDCP Oil Clean Product Code: SDCP-OILCL

Trade Name: SDCP Oil Clean

Manufactured by:  
Smith Paint Products  
2200 Paxton Street  
Harrisburg, PA 17111  
(800) 466-8781

Chemtrec  
2900 Fairview Park Drive  
Falls Church, VA 22042-4513  
(800) 262-8200

Emergency Hot Line:  
(800) 424-9300

Product Use: Cleaning difficult oil stains from concrete; scheduled maintenance program for cleaning hard surfaces .

## Section 2 - Hazards Identification

### GHS Ratings:

Oral Toxicity	Acute Tox. 4	Oral>300+<=2000mg/kg
Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation
Eye corrosive	2A	Eye irritant: Subcategory 2A, Reversible in 21 days

### GHS Hazards

H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation

### GHS Precautions

P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P302+P350	IF ON SKIN: Gently wash with soap and water
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

Signal Word: Warning



### Section 3 - Composition/Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
Water softened	7732-18-5	70.00% - 80.00%
Ethoxylated Alcohols, C9-C11	68439-46-3	10.00% - 20.00%
	Inert	5.00% - 10.00%
Dodecyl benzene sulfonic acid	68584-22-5	1.00% - 5.00%

### Section 4 - First Aid Measures

**Inhalation:** Move to fresh air.

**Eye Contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

**Skin Contact:** Wash off immediately with soap and plenty of water.

**Ingestion:** Clean mouth with water and afterwards drink plenty of water.

**Notes to Physician:** Treat symptomatically.

### Section 5 - Fire Fighting Measures

Flash Point: N/A

LEL:

UEL:

**Flammable Limits:**

**Extinguishing Media:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unusual Fire/Explosion Hazards:** No information available.

**Fire Fighting Equipment:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6 - Accidental Release Measures

**Spill/Leak Procedures:** Spilled preparation should be removed immediately to avoid formation of dust from dried preparation. Take up by mechanical means preferably by a vacuum cleaner equipped with a high efficiency filter. Flush remainder carefully with plenty of water. Avoid splashing and high pressure washing (avoid formation of aerosols). Ensure sufficient ventilation. Wash contaminated clothing. Pick up and transfer to properly labelled containers.

### Section 7 - Handling and Storage

**Handling Precautions:** Handle in accordance with good industrial hygiene and safety practice.

**Storage Requirements:** Keep containers tightly closed in a dry, cool and well-ventilated place.

### Section 8 - Exposure Controls / Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
-------------------------	----------------------	-----------------------	-----------------------

Water softened 7732-18-5	No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	Not Established
Ethoxylated Alcohols, C9-C11 68439-46-3	Not Established	Not Established	Not Established
Inert	Not Established	Not Established	Not Established
Dodecyl benzene sulfonic acid 68584-22-5	Not Established	Not Established	Not Established

## Section 9 - Physical and Chemical Properties

This mixture typically exhibits the following properties under normal circumstance:

<p><b>Grams VOC less water:</b> No information available</p> <p><b>Odor:</b> Slight fermentation odor</p> <p><b>Odor threshold:</b> No information available</p> <p><b>pH:</b> No information available</p> <p><b>Melting point:</b> No information available</p> <p><b>Solubility:</b> No information available</p> <p><b>Flash point:</b> No information available</p> <p><b>Flammability:</b> No information available</p> <p><b>Partition coefficient (n-octanol/water):</b> No information available</p> <p><b>Decomposition temperature:</b> No information available</p>	<p><b>Appearance:</b> Liquid</p> <p><b>Vapor Pressure:</b> No information available</p> <p><b>Vapor Density:</b> No information available</p> <p><b>Density:</b> No information available</p> <p><b>Freezing point:</b> No information available</p> <p><b>Boiling range:</b> No information available</p> <p><b>Evaporation rate:</b> No information available</p> <p><b>Explosive Limits:</b> No information available</p> <p><b>Autoignition temperature:</b> No information available</p> <p><b>Viscosity:</b> No information available</p>
---	---

## Section 10 - Stability and Reactivity

**Stability:**

STABLE

**Incompatibilities/Conditions to avoid:** Strong acids or alkali compounds and strong oxidizing agents may inactivate biological cultures. Extremes of temperature and direct sunlight. Stable under normal conditions. Excessive temperature variations below 32°F or above 155°F

**Hazardous Decomposition:** No information available.

Hazardous polymerization will not occur.

## Section 11 - Toxicological Information

**Mixture Toxicity**

**Component Toxicity**

68439-46-3	Ethoxylated Alcohols, C9-C11
	Oral LD50: 2,000 mg/kg

68584-22-5

Dodecyl benzene sulfonic acid

Oral LD50: 775 mg/kg (Rat) Dermal LD50: 2,000 mg/kg (Rabbit)

**Primary routes of entry:** Inhalation, eye contact, skin contact, ingestion.

**Carcinogenicity:** The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing) .

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			No Data Available

## Section 12 - Ecological Information

### Component Ecotoxicity

Water softened

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic.

Dodecyl benzene sulfonic acid

No further relevant information available.

## Section 13 - Disposal Considerations

Dispose in accordance with all applicable regulations.

## Section 14 - Transport Information

This material is classified for transport as follows:

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
DOT		Unregulated		Non Hazardous
IATA		Unregulated		Non Hazardous
ADR/RID		Unregulated		Non Hazardous
IMDG		Unregulated		Non Hazardous

## Section 15 - Regulatory Information

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING!

This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- None

### R2K List

- None


## Section 16 - Other Information

Hazardous Material Information System (HMIS)

National Fire Protection Association (NFPA)

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	E

**HMIS & NFPA Hazard Rating**  
**Legend**  
 \* = Chronic Health Hazard  
 0 = INSIGNIFICANT  
 1 = SLIGHT  
 2 = MODERATE  
 3 = HIGH



The material contained in this Safety Data Sheet is based on information supplied to Smith Paint Products by the raw material suppliers of the individual components of this product. Smith Paint Products believes this information is truthful and reliable. However, no warranty is expressed or implied regarding the accuracy of this information, or of any product, method or apparatus mentioned and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and health and safety of your employees and users of this material. As more information becomes available from our vendors additional revisions will be forthcoming.

Date Prepared: 1/8/2016